

DOE Lighting Technology Energy Solutions (LiTES) Program

M&V Findings Overview & Utility Incentive Recommendations

Presented to:

Michigan Public Service Commission Energy Waste Reduction Collaborative
October 15, 2019



- LiTES is a collaborative effort between the US Department of Energy, NextEnergy, Consumers Energy, DTE and Detroit Joint Apprentice Training Center
- The collaboration:
 - Training modules and sessions were developed and deployed with approximately 175 professionals
 - Successfully deployed advanced lighting controls systems in 28 Small & Medium Commercial Buildings (SMCB) demonstration sites
 - Captured data and perform measurement & verification(M&V) analysis at 10 sites
 - Identified advanced lighting controls system benefits/market barriers
 - Identified opportunities for increased adoption and scaling of advanced lighting systems in SMCB





Agenda

- ALC/NLC's and their value
- Contractor Training
- M&V
- Utility Incentives and Recommendations moving forward



C&I Lighting & Controls Savings Potential





www.designlights.org/default/assets/File/DLC Energy-Savings-Potential-of-DLC-Commercial-Lighting-and-Networked-Lighting-Controls.pdf



DLC Qualified Networked Systems

- Networked
- Three Minimum Control Strategies:
 - Occupancy Sensing
 - Daylight Harvesting
 - High-End Trim
- Addressable/Programmable

CONTROL STRATEGY	DLC DEFINITION			
Daylight harvesting	The capability to automatically affect the operation of lighting or other equipment based on the amount of daylight and/or ambient light present in a space, area, or exterior environment.			
Occupancy Sensing	The capability to automatically affect the operation of lighting equipment based on the detection of the presence or absence of people in a space or exterior environment.			
High-end trim	The capability to set the maximum light output to a less-than maximum state of an individual or group of luminaires at the time of installation or commissioning.			
Scheduling (reported, not required)	The capability to automatically affect the operation of lighting equipment based on time of day, week, month or year.			
Personal control (reported, not required)	The capability for individual users to adjust the illuminated environment of a light fixture or group of light fixtures in a specific task area to their personal preferences, via networked means.			



Contractor Training

- Michigan Advanced Lighting Controls Training Program (MALCTP) provides comprehensive advanced lighting controls, system troubleshooting, design and maintenance training and certification
- 175 professionals trained to date
- Upcoming Training Sessions:
 - November 1, 2019







Measurement & Verification Process

- Followed International Performance Measurement & Verification Protocol (IPMVP) for 10 diverse sites
- Baseline Energy calculations were executed for each site based on IPMVP, 2012; Ch. 4.7.1
- Revenue grade meters and data loggers with +/- 2% accuracy were deployed within the test sites
- Data collection/measurement period of 4-13 weeks was dependent on site and use case




Measurement & Verification Savings Data

LiTES M&V Site Energy Savings Data Analysis

Site #	Building Type	Type of ALC/NLC Installed	City	LiTES Partner Responsible for Meter Data	ALC/NLC Demo Area Metered (Sq. Ft)	Pre-ALC/NLC Baseline Energy Use (kWh)	Post-ALC/N:C Installation Energy Use (kWh)	% Energy Savings
1	Office	Cree	Detroit	NextEnergy	7,000	6,978	5,464	21.69%
2	Office/Training Center	Amatis	Warren	NextEnergy	3,600	6,431	5,186	19.37%
3	Office/Training Center	Crestron	Detroit	NextEnergy	4,050	4,577	2,446	46.55%
4	Manufacturing	Acuity nLight	Grand Rapids	Utility	80,000	711,335	547,728	23.00%
5	Office	Eaton	Madison Hts	NextEnergy	2,200	2,381	1,938	18.63%
6	Education/School	Lutron	Concord	NextEnergy	80,000	81,714	68,639	16.00%
7	Manufacturing (Offices)	Legrand Wattstopper	Jackson	Utility	38,000	177,053	115,084	35.00%
8	Education/School	LightCloud	Clare	Utility	8,000	29,172	18,361	37.06%
9	Manufacturing (Shipping/Receiving)	Legrand Wattstopper	Jackson	Utility	67,000	124,846	68,513	45.12%
10	Manufacturing	Legrand Wattstopper	Jackson	Utility	95,000	461,386	256,179	44.47%
				Min	2,200	2,381	1,938	16.00%
	Average		38,485	160,587	108,954	30.69%		
Max95,000						711,335	547,728	46.55%



Process used in developing utility incentive recommendations





DOE Lighting Technology Energy Solutions Program (LiTES) 2019 Available Utility Incentives

Consumers Energy

Lighting Controls (*Pre-Notification Required)	Rebate	Unit			
Interior Lighting Occupancy Sensors**	\$15	Sensor			
Interior Lighting Occupancy Sensors**	\$0.08	Watt Controlled			
Central Lighting Controls*	\$0	Square Foot			
Interior Stairwell Controls*	\$0.40	Watt Controlled			
Exterior Multi-Step Dimming Occupancy Sensors*	\$0	Watt Controlled			
Exterior Multi-Step Dimming Timer Controls*	\$0.09	Watt Controlled			
Exterior Lighting Occupancy Sensors*	\$0	Watt Controlled			
Advanced Lighting Controls*					
Commercial, Hospitals, Schools/Universities	\$0.25	kWh Savings (annual)			
Manufacturing, Industrial, Warehouses	0.18	kWh Savings (annual)			
Small Business Facilities less 100,000 sq. ft.	0.25	kWh Savings (annual)			

^{**}pick one of the other per space controlled

DTE

Lighting Controls (*Pre-Notification Required)	Rebate	Unit				
Interior LED Lighting under 15' w/Networked Lighting Controls						
Tier 1	\$185	kW Reduced				
Tier 2	\$370	kW Reduced				
Interior LED Lighting 15' or above w/Networked Lighting Con						
Tier 1	\$290	kW Reduced				
Tier 2	\$580	kW Reduced				
Networked Lighting Controls Additional Incentives						
Occupancy Sensors	\$20	Sensor				
Combination Occupancy & Daylight Harvesting Controls	\$25	Sensor				

Tier 1: NLC system must actively use at least 3/7 qualifying NLC control features **Tier 2**: Must fulfill Tier 1 requirements and actively use at least two additional qualifying NLC features.



Perceived benefits of ALC/NLC's

(from utility surveys and interviews)

- Energy savings
- Lower installation and operating costs
- Lower impact to environment / reduce carbon emissions
- Brand attribution; utility seen as a customer education resource to help customers set and reach their own goals

- Increased customer satisfaction
- Better control of lighting (e.g. dimming vs on/off)
- Helping to meet broader utility incentive portfolio program goals
- Increased likelihood of incorporating SMCB into utility demand response programs



Perceived barriers to ALC/NLC's

(from utility surveys and interviews)

- Lack of Awareness/Education on ALC/NCL technologies for customers and trade allies
- Lack of customer trust in contractor energy savings reported
- Challenges integrating ALC/NLC systems with customer IT security protocols
- System pricing varies significantly by manufacturer and to some extent contractor markup

- Technology issues / interoperability of ALC/NLC systems with existing building systems
- Brand differentiation /Customer confusion on ALC/NLC technologies and system capabilities
- Being careful not to overinvest into underperforming areas of the utility inventive portfolio Is this what we mean by this "brand differentiation"




Utility Recommendations

- Standardized performance-based incentive approach to simplify customer process to perform cost/benefit analysis pre and post installation
 - DTE kW
 - CMS kWh
- Tiered incentives as adopted by DTE and CMS in 2019
- Standardized utility incentives calculator tool for scenario planning
- Municipal/cooperative incentive programs/participation
 - Use of state funding may require policy changes/modifications



Questions?





Thank you!

Eric McDonald

Director, Facilities Testing & Infrastructure

- 313.400.7441
- ericm@nextenergy.org